

# WINTEC

Smart POS, Smarter Retail

# Selfpos70




Hospitality



Convenience  
Store



Supermarket



## Modular design

To reduce the maintenance cost



## Ergonomic design

4° tilt angle screen and 15° camera adjustment to improve the operating experience



Supports 21.5", 23.8", 27", 32" display



Three color status light make status at a glance



## Multiple Options




## Multiple installation ways

Desktop/wall/pole stand /cabinet mounting



# Selfpos70 Specification



## CPU

J6412 Quad Core 2.0GHz  
i3-1115G4 Dual Core 3.0GHz  
i5-1135G7 Quad Core 2.4GHz



## Memory

4GB, up to 32GB



## Storage

128GB, up to 512GB



## Printer

80mm Thermal Printer  
w/ Auto cutter



## Interfaces

4\*USB, 3\*RS232(2\*RJ48, 1\*DB9),  
1\*RJ45, 1\*DK, 1\*24V IN,  
1\*HDMI, 1\*EAS



## WiFi&BT(Optional)

802.11 b/g/n/ac + BT4.2



## Speaker

2\*5W Speaker



## Ethernet

1\*10/100/1000M



## Display

21.5" LCD, 1920\*1080 (PCAP)  
23.8" LCD, 1920\*1080 (PCAP)  
27" LCD, 1920\*1080 (PCAP)  
32" LCD, 1920\*1080 (PCAP)



## Scanner

High-performance Scanner



## Dimension

21.5": 363\*107\*822 (mm)  
23.8": 363\*107\*822 (mm)  
27": 392\*107\*882 (mm)  
32": 455\*107\*989 (mm)



## Power Adapter

AC Input 100~240V, 50-60Hz  
DC Output 24V/ 2.5A



## Options

Pinpad Bracket, MSR, Status Light,  
Security Camera, 2D/3D Camera, MIC,  
Cabinet, Security Scale, Bag Bracket, EAS



## OS

Win10,  
Linux (V20.4 and above)



## Proximity Sensor

0-1.2m

# Selfpos70 Specification



Android



## CPU

RK3568 Quad Core 2.0GHz



## Memory

4GB



## Storage

32GB



## Printer

80mm Thermal Printer  
w/ Auto Cutter

## Interfaces

4\*USB, 3\*RS232(2\*RJ48, 1\*DB9),  
1\*RJ45, 1\*DK, 1\*24V IN,  
1\*HDMI, 1\*OTG, 1\*EAS



## WiFi&BT

802.11 b/g/n/ac + BT4.2



## Speaker

2\*5W Speaker



## Ethernet

1\*10/100/1000M

## Display

21.5" LCD, 1920\*1080 (PCAP)  
23.8" LCD, 1920\*1080 (PCAP)  
27" LCD, 1920\*1080 (PCAP)  
32" LCD, 1920\*1080 (PCAP)



## Scanner

High-performance Scanner



## Dimension

21.5": 363\*107\*822 (mm)  
23.8": 363\*107\*822 (mm)  
27": 392\*107\*882 (mm)  
32": 455\*107\*989 (mm)



## Power Adapter

AC Input 100~240V, 50-60Hz  
DC Output 24V/ 2.5A



## Options

Pinpad Bracket, MSR, Status Light,  
Security Camera, 2D/3D Camera, MIC,  
Cabinet, Security Scale, Bag Bracket, EAS



## OS

Android 11



## Proximity Sensor

0-1.2m